



Contribution ID: 32

Type: Oral presentation

Ab initio thermodynamics of MgSiO₃ protoenstatite at high temperatures conditions

Tuesday, 13 September 2022 15:29 (14 minutes)

Protoenstatite (PEn) is one of the high temperature forms of MgSiO₃ pyroxenes, having stability range from 1200 to 1600 K at ambient pressure. Its importance has been recognized by many authors, in fact PEn is regarded as a precursor phase of low-clinoenstatite (LP-CEn)/orthoenstatite (OEn) intergrowths in some cometary samples [3] and in calcium-aluminum-rich inclusions (CAIs) from CV3 chondrites [1]. The presence of a high temperature PEn precursor in planetary materials implies that its formation must have occurred close to solar nebula conditions by equilibrium condensation via a reaction between forsterite and gaseous SiO [2] or, alternatively, as a result of reheating process after primary condensation [1]. Despite its role as a precursor mineral phase in the solar system, very little is known about the thermodynamics and phase relations of PEn with other MgSiO₃ polymorphs. This is due for the most part to its unquenchable nature, meaning that even if PEn can be synthesized at high temperature conditions, it doesn't preserve as a metastable phase at ambient conditions since it very rapidly reverts either to OEn or LP-CEn [4]. The impossibility to perform measurements on samples of PEn prevents to obtain information on its thermodynamic properties, which are in turn fundamental for the investigation of phase equilibria. In that sense, ab initio calculations based on quantum-mechanical theory are one of the most reliable methods available to obtain information on thermodynamics and phase relations of minerals at planetary conditions. We present a DFT based ab initio B3LYP computational study on MgSiO₃ protoenstatite thermodynamics. All the relevant thermophysical and thermodynamic properties of PEn (e.g. heat capacity, vibrational entropy, thermal expansion, EoS) have been calculated in the framework of the quasi-harmonic approximation (QHA) by a full phonon dispersion calculation. This allowed to obtain original insights into protoenstatite thermodynamics and enabled to retrieve a complete set of physically consistent thermodynamic properties, that are in excellent agreement with the very few experimental data currently available.

- [1] Che S. & Brearley A.J. 2021. Microstructures of enstatite in fine-grained CAIs from CV3 chondrites: implications for mechanisms and conditions of formation. *Geochim. Cosmochim. Acta*, 296, 131-151.
- [2] Nagahara H. 2018. Kinetics of gas-solid reactions in the Solar System and beyond. In: King P.L., Fegley Jr. B. & Seward T.M. Eds., *Reviews in Mineralogy and Geochemistry*, Vol. 84, pp. 461-497, Mineralogical Society of America & Geochemical Society.
- [3] Schmitz S. & Brenker F.E. 2008. Microstructural indications for protoenstatite precursor of cometary Mg-SiO₃ pyroxene: a further high-temperature component of comet Wild 2. *Astrophys. J.*, 681, L105-L108.
- [4] Smyth J. R. 1974. Experimental study on the polymorphism of enstatite. *Am. Mineral.*, 59, 345-352.

Primary author: Dr LA FORTEZZA, Mattia (Dipartimento di Scienze della Terra, dell'Ambiente e della Vita (DISTAV), University of Genoa, Genoa, Italy)

Co-authors: MENESCARDI, Francesca (University of Genova); Prof. BELMONTE, Donato (Università degli Studi di Genova)

Presenter: Dr LA FORTEZZA, Mattia (Dipartimento di Scienze della Terra, dell'Ambiente e della Vita (DISTAV), University of Genoa, Genoa, Italy)

Session Classification: MS

Track Classification: Frontiers in Mineralogy and Inorganic Geochemistry